

GACO SARL

28, Rue bencharif Madani

25000 BELLEVUE/CONSTANTINE - ALGERIE

Tel. : 031 92 54 56 / 031 93 22 23 - Fax : 031 92 13 45

Email : gacosarl@gmail.com / benkobbi_fares@yahoo.fr

Item : **Item 16**Typ : **Cubic****FRIGA-BOHN****3C-A 4386 L (Multi Refrigerant)****Total capacity : 28,74 kW****DT1 (Dew) / DTM (Mean) : 8 / 8,2 K****Operating conditions**

Refrigerant :	R404A
Room temperature :	0 °C
Unit number :	1

Thermal capacity (per unit)

Capacity per unit :	28,74 kW
DT1 (Dew) / DTM (Mean) :	8 / 8,2 K

Coil characteristics (per unit)

Surface :	76.5 m ²
Volume :	17,4 dm ³
Fin spacing :	6 mm

Dimensional characteristics (per unit)

Empty net weight :	108 kg
Packaging (L/D/H) :	2320 / 750 / 750 mm
Packed unit weight :	165 kg
Standard packaging :	Pallet

Aeraulic characteristics (per unit)

Nb. and diameter of fans :	3 x 450 mm
Air flow-rate :	17780 m ³ /h
Pressure :	0 Pa
Air throw :	36 m
Lp (at 4m) :	53 dB(A)

Electrical characteristics (per unit)

Rotation speed :	1370 tr/min
Maximum input power :	3 x 500 W
Maximum operating current :	3 x 1, A
Motor coupling :	Delta
Voltage/ Nb Phases / Frequency :	400V / 3 / 50Hz

GACO SARL

28, Rue bencharif Madani

25000 BELLEVUE/CONSTANTINE - ALGERIE

Tel. : 031 92 54 56 / 031 93 22 23 - Fax : 031 92 13 45

Email : gacosarl@gmail.com / benkobbi_fares@yahoo.frItem : **Item 16**Typ : **Cubic**

Options 3C-A 4386 L

- ☒ E1U : Light electric defrost: 3 coil heaters
- ☐ E1K : Light electric defrost: 3 coil heaters
- ☐ E2K : Intermediate electric defrost: 2 coil heaters + 1 drain pan heater + intermediate drain pan.
- ☐ E3K : Full electric defrost: 5 coil heaters + 1 drain pan heater + intermediate drain pan.
- ☐ BXT : Blygold Polual XT coil protection.
- ☐ BAE : Paint coil protection.
- ☐ M60 : Fan 230-400V/3/60hz (Ø 450mm) or 230V/1/60Hz (Ø 300mm).
- ☐ MM5 : Fan 230V/1/50Hz (Ø 450mm).
- ☐ THD : Defrost thermostat (5709L).
- ☐ THS : Safety thermostat (5708L).
- ☐ 2TH : Defrost and safety thermostats (5709L + 5708L).
- ☐ HG1 : Hot gas (coil: hot gas, drain pan : electrical heaters)
- ☐ EIS : Insulated drain pan.
- ☐ RVU : Shell defrost heaters.
- ☐ RVK : Shell defrost heaters.
- ☐ DPK : Intermediate drain pan Kit (3C-A .. R/L).
- ☐ DMP : Expansion valve fitted Plus (With liquid line)
- ☐ EEC : EVL + copper siphon equipped with a ball valve
- ☐ PEI : White painted casing.
- ☐ EVL : DMP + solenoid valve fitted.
- ☐ BHE : Heresite coil protection.
- ☐ CIN : 316L Stainless steel frame.
- ☐ DEG : Hot glycol water defrost.
- ☐ PGI : Stainless steel end place
- ☐ EXT : Extronic (Multirefrigerant electronic expansion valve mounted)
- ☐ STK : Safetronic Kit (Close expansion valve in case of power failure)
- ☐ MP5 : Pressure fan 50 Pa
- ☐ VGT : Flange for textile duct

GACO SARL

28, Rue bencharif Madani

25000 BELLEVUE/CONSTANTINE - ALGERIE

Tel. : 031 92 54 56 / 031 93 22 23 - Fax : 031 92 13 45

Email : gacosarl@gmail.com / benkobbi_fares@yahoo.fr





Item : **Item 16**

Typ :: **Cubic**

Model : 3C-A 4386 L

(Drawings are only indicative)



In = 1" 3/8 - Out = 2" 1/8